

Pan-Canadian Pharmaceutical Alliance: Completed Negotiations

As of May 31, 2019

290 joint negotiations have been **completed**** for the following drugs and indications:

Drug Product Brand Name (Generic Name)	Indication/Use <i>Please refer to individual jurisdictions for specific reimbursement criteria</i>
Abilify Maintena (aripiprazole long acting injection)	Used for the maintenance treatment of schizophrenia
Abraxane (nab-paclitaxel)	Used first-line to treat locally advanced unresectable or metastatic adenocarcinoma of the pancreas
Actemra (tocilizumab)	Used to treat giant cell arteritis
Actemra (tocilizumab) SC	Used to treat rheumatoid arthritis
Actikerall (fluorouracil and salicylic acid)	Used to treat hyperkeratotic actinic keratosis
Adcetris (brentuximab)	Used to treat lymphoma
Adcetris (brentuximab vedotin)	Used to treat Hodgkin's lymphoma
Adempas (riociguat)	Used to treat chronic thromboembolic pulmonary hypertension
Advair (salmeterol xinafoate/fluticasone propionate)	Used to treat chronic obstructive pulmonary disease and asthma
Afinitor (everolimus)	Used to treat pancreatic neuroendocrine tumours, and to treat breast cancer
Afinitor (everolimus)	Used to treat neuroendocrine tumours of gastrointestinal or lung origin
Akynzeo (netupitant/palonosetron)	Used for the prevention of chemotherapy induced nausea and vomiting
Alecensaro (alectinib)	Used first line to treat locally advanced or metastatic non-small cell lung cancer
Alecensaro (alectinib)	Used second line to treat locally advanced or metastatic non-small cell lung cancer
Alimta (pemetrexed)	Used to treat lung cancer (new indication)
Anoro Ellipta (umeclidinium bromide/vilanterol trifenate)	Used to treat chronic obstructive pulmonary disease
Aptiom (eslicarbazepine)	Used to treat seizures
Arnuity Ellipta (fluticasone furoate)	Used to treat asthma
Aubagio (teriflunomide)	Used to treat relapsing-remitting multiple sclerosis
Avastin (bevacizumab)	Used to treat persistent, recurrent, or metastatic cervical cancer Used to treat epithelial ovarian cancer
Avastin (bevacizumab)	Used to treat genitourinary platinum-resistant ovarian cancer
Avastin (bevacizumab)	Used to treat metastatic colorectal cancer
Basaglar (insulin glargine)	Used to treat type 1 and 2 diabetes mellitus
Bavencio (avelumab)	Used to treat metastatic Merkel cell carcinoma
Besponsa (inotuzumab ozogamicin)	Used to treat acute lymphoblastic leukemia
Blincyto (blinatumomab)	Used to treat acute lymphoblastic leukemia
Blincyto (blinatumomab)	Used to treat adult acute lymphoblastic leukemia
Blincyto (blinatumomab)	Used to treat pediatric acute lymphoblastic leukemia
Bosulif (bosutinib)	Used to treat chronic myelogenous leukemia (CML)
Botox (onabotulinumtoxin A)	Used to treat multiple indications
Brenzys (etanercept)	Used to treat rheumatoid arthritis and ankylosing spondylitis
Breo Ellipta (fluticasone furoate/vilanterol)	Used for the treatment of asthma

Breo Ellipta (fluticasone furoate/vilanterol)	Used to treat chronic obstructive pulmonary disease
Brilinta (ticagrelor)[†]	Used with ASA to prevent atherothrombotic events in patients with acute coronary syndrome
Brivlera (brivaracetam)	Used to treat partial-onset seizures
Cimzia (certolizumab)	Used to treat ankylosing spondylitis, psoriatic arthritis
Caprelsa (vandetanib)	Used to treat medullary thyroid cancer
Cosentyx (secukinumab)	Used to treat moderate to severe plaque psoriasis
Cosentyx (secukinumab)	Used to treat psoriatic arthritis
Cosentyx (secukinumab)	Used to treat ankylosing spondylitis
Cotellic (cobimetinib)	Used to treat metastatic melanoma
Cyramza (ramucirumab)	Used to treat gastrointestinal metastatic gastric cancer or gastro-esophageal junction adenocarcinoma
Daklinza (daclatasvir)	Used to treat chronic Hepatitis C infection
Darzalex (daratumumab)	Used to treat multiple myeloma
Diacomit (stiripentol)	Used in patients with severe myoclonic epilepsy in infancy
Dificid (fidaxomicin)	Used to treat Clostridium difficile
Duaklir Genuair (aclidinium bromide/formoterol fumarate dehydrate)	Used to treat chronic obstructive pulmonary disease (COPD)
Duodopa (levodopa/carbidopa)	Used to treat Parkinson's Disease
Dysport Therapeutic (abobotulinumtoxin A)	Used to treat cervical dystonia
Dysport Therapeutic (abobotulinumtoxin A)	Used to treat upper limb spasticity
Dysport Therapeutic (abobotulinumtoxin A)	Used for the symptomatic treatment of lower limb spasticity in pediatric patients
Effient (prasugrel)	Used with ASA to prevent atherothrombotic events in patients with acute coronary syndrome
Elelyso (taliglucerase alfa)	Used to treat Gaucher Disease Type 1
Eliquis (apixaban)	Used to prevent strokes in patients with atrial fibrillation, and to prevent deep vein thrombosis
Eliquis (apixaban)	Used to treat venous thromboembolic events and prevent recurrent deep-vein thrombosis and pulmonary embolism
Enstilar (calcipotriol/betamethasone)	Used to treat psoriasis
Entresto (sacubitril/valsartan)	Used to treat heart failure
Entyvio (vedolizumab)	Used to treat ulcerative colitis
Entyvio (vedolizumab)	Used to treat Crohn's disease
Epclusa (sofosbuvir/velpatasvir)	Used to treat chronic hepatitis C infection
Erelzi (etanercept)	Used to treat ankylosing spondylitis, polyarticular juvenile idiopathic arthritis, and rheumatoid arthritis
Erivedge (vismodegib)	Used to treat metastatic basal cell carcinoma
Esbriet (pirfenidone)	Used to treat idiopathic pulmonary fibrosis
Esbriet (pirfenidone) <i>(second letter of intent)</i>	Used to treat idiopathic pulmonary fibrosis
Eylea (aflibercept)	Used to treat neovascular (wet) age-related macular degeneration (AMD), diabetic macular edema (DME), and/or macular edema secondary to central retinal vein occlusion (CRVO)
Eylea (aflibercept)	Used to treat macular edema secondary to branch retinal vein occlusion
Fabrazyme (agalsidase beta)	Used to treat Fabry disease
Fabrazyme (agalsidase beta) <i>(second letter of intent)</i>	Used to treat Fabry disease
Fasenra (benralizumab)*	Used to treat eosinophilic asthma
Ferriprox (deferiprone)	Used to treat Transfusional Iron Overload

Fibrystal (ulipristal acetate)	Used to treat uterine fibroids
Firazyr (icatibant)	Used to treat acute attacks of hereditary angioedema
Forxiga (dapagliflozin)	Used to treat Type 2 diabetes
Galafold (migalastat)	Used to treat Fabry Disease
Galexos (simeprevir)	Used to treat chronic hepatitis C Genotype 1 infection
Gazyva (obinutuzumab)	Used to treat chronic lymphocytic leukemia
Gazyva (obinutuzumab)	Used to treat follicular lymphoma
Genvoya (elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide)	Used to treat HIV-1 Infection
Gilenya (fingolimod)[†]	Used to treat relapsing-remitting multiple sclerosis
Giotrif (afatinib)	Used to treat advanced non-small cell lung cancer
Giotrif (afatinib) <i>(second letter of intent)</i>	Used to treat advanced non-small cell lung cancer
Glatect (glatiramer acetate)	Used to treat relapsing-remitting multiple sclerosis
Grastofil (filgrastim)	Used for prevention or treatment of neutropenia in various indications
Halaven (eribulin)	Used to treat breast cancer
Harvoni (sofosbuvir/ledipasvir)	Used to treat chronic hepatitis C infection
Harvoni (sofosbuvir/ledipasvir) <i>(second letter of intent)</i>	Used to treat chronic hepatitis C infection
Hemangirol (propranolol)	Used to treat infantile hemangioma
Holkira Pak (ombitasvir/paritaprevir/ritonavir and dasabuvir)	Used to treat chronic hepatitis C infection
Humira (adalimumab)	Used to treat ulcerative colitis
Humira (adalimumab)	Used to treat hidradenitis suppurativa
Ibavyr (ribavirin)	Used to treat chronic hepatitis C infection
Ibrance (palbociclib)	Used to treat advanced breast cancer
Iclusig (ponatinib)	Used to treat Chronic Myeloid Leukemia (CML)/ Acute Lymphoblastic Leukemia
Ilaris (canakinumab)	Used to treat systemic juvenile idiopathic arthritis
Imbruvica (ibrutinib)	Used to treat chronic lymphocytic leukemia or small lymphocytic leukemia
Imbruvica (ibrutinib)	Used to treat relapsed/refractory Mantle Cell Lymphoma
Imbruvica (ibrutinib)	Used to treat chronic lymphocytic leukemia and small lymphocytic lymphoma
Incruse Ellipta (umeclidinium)	Used to treat chronic obstructive pulmonary disease (COPD)
Inflectra (infliximab)	Used to treat rheumatoid arthritis, ankylosing spondylitis, psoriatic arthritis, plaque psoriasis
Inflectra (infliximab)	Used to treat ankylosing spondylitis, plaque psoriasis, psoriatic arthritis, rheumatoid arthritis, Crohn's disease and Ulcerative Colitis
Inlyta (axitinib)	Used to treat metastatic renal cell carcinoma
Inspiolto RespiMat (tiotropium/olodaterol)	Used to treat chronic obstructive pulmonary disease (COPD)
Inspra (eplerenone)	Used to treat New York Heart Association (NYHA) class II systolic heart failure
Invega Trinza (paliperidone palmitate)	Used to treat schizophrenia
Invokana (canagliflozin)	Used to treat Type 2 diabetes
Istodax (romidepsin)	Used to treat relapsed/refractory peripheral T-cell lymphoma
Izba (travoprost)	Used to treat open-angle glaucoma
Jadenu (deferasirox)	Used to treat chronic iron overload
Jakavi (ruxolitinib)	Used to treat intermediate to high risk myelofibrosis

Jakavi (ruxolitinib)	Used to treat polycythemia vera
Janumet (sitagliptin/metformin)	Used to treat Type 2 diabetes mellitus
Januvia (sitagliptin)	Used to treat Type 2 diabetes mellitus
Jardiance (empagliflozin)	Used to treat Type 2 diabetes mellitus
Jardiance (empagliflozin)	Used to treat diabetes mellitus (Type 2) for patients with high cardiovascular risk
Jetrea (ocriplasmin)	Used to treat symptomatic vitreomacular adhesion
Jevtana (cabazitaxel)	Used to treat castration resistant metastatic prostate cancer
Juluca (dolutegravir/rilpivirine)	Used to treat HIV-1 infection
Kadcyla (trastuzumab emtansine)	Used to treat HER-2 positive metastatic breast cancer
Kalydeco (ivacaftor)	Used to treat cystic fibrosis
Kevzara (sarilumab)	Used to treat rheumatoid arthritis
Keytruda (pembrolizumab)	Used to treat metastatic melanoma
Keytruda (pembrolizumab)	Used to treat non-small cell lung cancer (second line or beyond)
Keytruda (pembrolizumab)	Used to treat non-small cell lung cancer (first line)
Kisqali (ribociclib)	Used to treat advanced or metastatic breast cancer
Kuvan (saproterin)[†]	Used to treat phenylketonuria
Kyleena (levonorgestrel)	Used for the prevention of pregnancy
Kyprolis (carfilzomib)	Used to treat multiple myeloma
Kyprolis (carfilzomib)	Used to treat multiple myeloma (relapsed)
Lancora (ivabradine)	Used to treat NYHA class II or III heart failure
Lapelga (pegfilgrastim)	Used to treat febrile neutropenia
Lemtrada (alemtuzumab)	Used to treat relapsing-remitting multiple sclerosis
Lenvima (lenvatinib)	Used to treat thyroid cancer
Lixiana (edoxaban)	Used for prevention of stroke and systemic embolism in patients with non-valvular atrial fibrillation
Lixiana (edoxaban)	Used for the prevention and treatment of venous thromboembolism
Lodalis (colesevelam)	Used to treat hypercholesterolemia
Lynparza (olaparib)	Used to treat ovarian cancer
Maviret (glecaprevir/pibrentasvir)	Used to treat hepatitis C
MDK-Nitisinone (nitisinone)	Used to treat hereditary tyrosinemia, type 1
Mekinist (trametinib)	Used to treat metastatic melanoma
Metadol-D (methadone hydrochloride)	Used to treat opioid dependence
Metoject (methotrexate)	Used to treat rheumatoid arthritis
Mictoryl (propiverine)	Used to treat overactive bladder (paediatric)
Mifegymiso (mifepristone/misoprostol)	Used for the medical termination of pregnancy
Movapo (apomorphine hydrochloride)	Used to treat Parkinson's Disease
Mozobil (plerixafor)	Used in combination with <i>granulocyte colony-stimulating factor</i> to support treatment for non-Hodgkin lymphoma and multiple myeloma
Mozobil (plerixafor) (<i>second letter of intent</i>)	Used in combination with <i>granulocyte colony-stimulating factor</i> to support treatment for non-Hodgkin lymphoma and multiple myeloma
Myrbetriq (mirabegron)	Used to treat overactive bladder
Narcan (naloxone hydrochloride)	Used to treat opioid overdose
Neupro (rotigotine)	Used to treat Parkinson's disease
Nitisinone (nitisinone)	Used to treat hereditary tyrosinemia, type 1
Nucala (mepolizumab)	Used to treat severe eosinophilic asthma

Ocaliva (obeticholic acid)	Used to treat primary biliary cholangitis
Ocrevus (ocrelizumab)	Used to treat primary progressive multiple sclerosis
Ocrevus (ocrelizumab)	Used to treat relapsing-remitting multiple sclerosis
Odefsey (emtricitabine/rilpivirine/tenofovir alafenamide)	Used to treat HIV-1 infection
Ofev (nintedanib)	Used to treat idiopathic pulmonary fibrosis
Onbrez (indacaterol)†	Used as a bronchodilator for chronic obstructive pulmonary disease
Onglyza (saxagliptan)	Used to treat Type 2 diabetes mellitus
Opdivo (nivolumab)	Used to treat advanced or metastatic non-small cell lung cancer
Opdivo (nivolumab)	Used to treat metastatic melanoma
Opdivo (nivolumab)	Used to treat advanced or metastatic renal cell carcinoma
Opdivo (nivolumab)	Used to treat squamous cell carcinoma of the head and neck (SCCHN)
Oralair (grass pollen allergen extract)	Used to treat allergic rhinitis with or without conjunctivitis
Orencia (abatacept)	Used to treat rheumatoid arthritis
Orfadin (nitisinone)	Used to treat hereditary tyrosinemia, type 1
Perjeta (pertuzumab)	Used to treat breast cancer
Pheburane (sodium phenylbutyrate)	Used to treat urea cycle disorders
Plegridy (PegIFN beta-1a)	Used to treat relapsing-remitting multiple sclerosis (RRMS)
Pomalyst (pomalidomide)	Used to treat multiple myeloma
Pomalyst (pomalidomide) <i>Second letter of intent</i>	Used to treat multiple myeloma
Praluent (alirocumab)	Used for lowering of low density lipoprotein cholesterol (LDL-C) in patients with heterozygous familial hypercholesterolemia (HeFH)
Pradaxa (dabigatran)†	Used to prevent strokes in patients with atrial fibrillation
Prezcobix (darunavir/cobicistat)	Used to treat HIV-1 infection
Probuphine (buprenorphine)*	Used to treat of opioid use disorder
Procysbi (cysteamine bitartrate)	Used to treat nephropathic cystinosis
Prolia (denosumab)	Used to treat osteoporosis
Quinsair (levofloxacin)	Used to treat cystic fibrosis with chronic Pseudomonas aeruginosa infections
Ravicti (glycerol phenylbutyrate)	Used to treat urea cycle disorders
Rebif (interferon beta-1a)	Used for clinically isolated syndrome
Remicade (infliximab)	Used to treat multiple indications including rheumatoid arthritis, ulcerative colitis and Crohn's disease
Renflexis (infliximab)	Used to treat rheumatoid arthritis, ankylosing spondylitis, adult Crohn's disease, pediatric Crohn's disease, fistulising Crohn's disease, adult ulcerative colitis, pediatric ulcerative colitis, psoriatic arthritis, plaque psoriasis
Repatha (evolocumab)	Used to treat primary hyperlipidemia and mixed dyslipidemia
Replagal (agalsidase alfa)	Used to treat Fabry Disease
Replagal (agalsidase alfa) <i>(second letter of intent)</i>	Used to treat Fabry Disease
Revestive (teduglutide)	Used to treat short bowel syndrome (SBS)
Revlimid (lenalidomide)	Used for maintenance treatment in multiple myeloma after a stem cell transplant
Revlimid (lenalidomide)	Used to treat newly diagnosed multiple myeloma
Rexulti (brexpiprazole)	Used to treat schizophrenia
Rituxan SC (rituximab)	Used to treat multiple indications

Rituxan SC (rituximab)	Used to treat chronic lymphocytic leukemia
Rydapt (midostaurin)	Used to treat Acute Myeloid Leukemia
Seebri Breezhaler (glycopyrronium bromide)	Used to treat chronic obstructive pulmonary disease
Siliq (brodalumab)	Used to treat moderate to severe plaque psoriasis
Simbrinza (brinzolamide/brimonidine)	Used to treat glaucoma and ocular hypertension
Simponi (golimumab) SC	Used to treat ulcerative colitis
Soliris (eculizumab)[†]	Used to treat paroxysmal nocturnal hemoglobinuria
Sovaldi (sofosbuvir)	Used to treat chronic hepatitis C infection
Sovaldi (sofosbuvir) <i>(second letter of intent)</i>	Used to treat chronic hepatitis C infection
Spinraza (nusinersen)	Used to treat 5q Spinal Muscular Atrophy
Spiriva Respimat (tiotropium)	Used to treat chronic obstructive pulmonary disease
Stivarga (regorafenib)	Used to treat metastatic and/or unresectable gastrointestinal stromal tumours (GIST)
Stivarga (regorafenib) <i>(second letter of intent)</i>	Used to treat metastatic and/or unresectable gastrointestinal stromal tumours (GIST)
Stivarga (regorafenib)	Used to treat unresectable hepatocellular carcinoma
Strensiq (asfotase alfa)	Used to treat pediatric-onset hypophosphatasia
Stribild (elvitegravir/cobicistat/emtricitabine/tenofovir)	Used to treat HIV-1 infection in antiretroviral treatment-naïve adult patients
Sunvepra (asunaprevir)	Used to treat chronic Hepatitis C
Sutent (sunitinib)	Used to treat pancreatic neuroendocrine tumours
Synjardy (empagliflozin and metformin)	Used to treat type 2 diabetes mellitus in patients with high cardiovascular risk
Sylvant (siltuximab)	Used to treat multicentric Castleman's disease
Tafinlar (dabrafenib)	Used to treat metastatic melanoma
Tafinlar (dabrafenib) and Mekinist (trametinib)	Used to treat metastatic melanoma (in combination)
Tagrisso (osimertinib)	Used to treat locally advanced or metastatic EGFR T790M mutation-positive non-small cell lung cancer (NSCLC) who have progressed on or after EGFR TKI therapy
Taltz (Ixekizumab)	Used to treat moderate to severe plaque psoriasis
Taltz (ixekizumab)	Used to treat psoriatic arthritis
Tecentriq (atezolizumab)	Used to treat non-small cell lung cancer
Tecfidera (dimethyl fumarate)	Used to treat multiple sclerosis
Tivicay (dolutegravir)	Used to treat HIV-1 infection
Tobi Podhaler (tobramycin)	Used for the management of cystic fibrosis patients with chronic pulmonary <i>Pseudomonas aeruginosa</i> infections
Tradjenta (linagliptin) and Jentadueto (linagliptin/metformin)	Used to treat Type 2 diabetes mellitus
Treanda (bendamustine)[†]	Used to treat non-Hodgkin lymphoma, mantle cell lymphoma, chronic lymphocytic leukemia
Toujeo (insulin glargine)	Used to treat type 1 and type 2 diabetes mellitus
Tresiba (insulin degludec)	Used to treat type 1 and type 2 diabetes mellitus
Triumeq (dolutegravir/abacavir/lamivudine)	Used to treat HIV-1 infection
Tudorza Genuair (aclidinium bromide)	Used in management of chronic obstructive pulmonary disease (COPD)
Tysabri (natalizumab)	Used to treat relapsing-remitting multiple sclerosis
Ultibro (indacaterol/glycopyrronium)	Used to treat chronic obstructive pulmonary disease
Uptravi (selexipag)	Used to treat pulmonary arterial hypertension
Valtrex (valacyclovir)	Used to treat specific viral infections

Vectibix (panitumumab)	Used to treat metastatic colorectal cancer
Venclexta (venetoclax)	Used to treat chronic lymphocytic leukemia
Vimizim (elosulfase alfa)	Used to treat mucopolysaccharidosis IVA (Morquio A syndrome)
Vosevi (sofosbuvir velpatasvir voxilaprevir)	Used to treat chronic hepatitis C infection
Votrient (pazopanib)	Used to treat metastatic renal cell carcinoma
Votrient (pazopanib) <i>(second letter of intent)</i>	Used to treat metastatic renal cell carcinoma
VPRIV (velaglucerase)	Used to treat Gaucher Disease Type 1
Xalkori (crizotinib)	Used to treat advanced non-small cell lung cancer (second-line)
Xalkori (crizotinib)	Used to treat advanced non-small cell lung cancer (first-line)
Xarelto (rivaroxaban)	New indication for treatment of venous thromboembolic events and prevention of recurrent deep vein thrombosis and pulmonary embolism.
Xarelto (rivaroxaban)[†]	Used to prevent strokes in patients with atrial fibrillation, and to prevent deep vein thrombosis
Xeljanz (tofacitinib)	Used to treat rheumatoid arthritis
XigDuo (dapagliflozin/metformin hydrochloride)	Used to treat type 2 diabetes mellitus
Xolair (omalizumab)	Used to treat chronic idiopathic urticaria
Xtandi (enzalutamide)	Used to treat first-line metastatic castrate resistant prostate cancer (before chemotherapy)
Xtandi (enzalutamide)	Used to treat castrate resistant prostate cancer (after chemotherapy)
Yervoy (ipilimumab)	Used for the first-line treatment of adult patients with advanced (unresectable or metastatic) melanoma
Yervoy (ipilimumab)[†]	Used for the second-line treatment of adult patients with unresectable or metastatic melanoma
Yervoy/Opdivo (nivolumab/ipilimumab)	Used to treat metastatic melanoma
Yervoy/Opdivo (nivolumab/ipilimumab)	Used to treat renal cell carcinoma
Zaxine (rifaximin)	Used to treat hepatic encephalopathy
Zepatier (elbasvir grazoprevir)	Used for the treatment of Hepatitis C (genotype 1, 4)
Zydelig (idelalisib)	Used to treat relapsed chronic lymphocytic leukemia (CLL)
Zykadia (ceritinib)	Used to treat ALK+ non-small cell lung cancer
Zytiga (abiraterone)	Used to treat prostate cancer

37 drug negotiations were closed as agreements were not reached:

Abilify (aripiprazole)	Used for the treatment of schizophrenia and related psychotic disorders
Adempas (riociguat)	Used to treat pulmonary arterial hypertension
Brilinta (ticagrelor)	Used with ASA to prevent atherothrombotic events with history of myocardial infarction
Butrans (buprenorphine)	Used to treat persistent pain of moderate intensity
Byetta (exenatide)	Used to treat Type 2 diabetes
Campral (acamprosate calcium)	Used for maintenance of alcohol abstinence
Caprelsa (vandetanib)	Used to treat medullary thyroid cancer
Cerdelga (eliglustat)	Used to treat Gaucher Disease Type 1
Cerezyme (imiglucerase)	Used to treat Gaucher Disease Type 1
Cinqair (reslizumab)	Used to treat severe eosinophilic asthma
Copaxone (glatiramer acetate)	Used to treat multiple sclerosis

Daklinza (daclatasvir)	Used to treat chronic Hepatitis C
Descovy (emtricitabine/tenofovir alafenamide)	Used to treat HIV-1 infection
Faslodex (fulvestrant)	Used to treat locally advanced or metastatic breast cancer
Fiasp (insulin aspart)	Used to treat type 1 diabetes mellitus
Fibristal (ulipristal acetate)	Used to treat uterine fibroids (2nd cycle pre-surgery)
Invokamet (canagliflozin/metformin hydrochloride)	Used to treat type 2 diabetes mellitus
Kalydeco (ivacaftor)	Used to treat cystic fibrosis with G1244E, G1349D, G178R, G551S, S1251N, S1255P, S549N, S549R, G970R or R117H mutation
Kevzara (sarilumab)	Used to treat rheumatoid arthritis
Lartruvo (olaratumab)	Used to treat advanced soft tissue sarcoma
Methadose (methadone)	Used to treat opioid dependence
Mictoryl (propiverine)	Used to treat overactive bladder
Opsumit (macitentan)	Used to treat pulmonary arterial hypertension
Otezla (apremilast)	Used to treat moderate to severe plaque psoriasis
Otezla (apremilast)	Used to treat psoriatic arthritis
Rosiver (ivermectin)	Used to treat rosacea
Rosiver (ivermectin)	Used to treat rosacea
Simponi (golimumab) IV	Used to treat rheumatoid arthritis
Soliris (eculizumab)	Used to treat aHUS
Stelara (ustekinumab)	Used to treat Crohn's disease
Strensiq (asfotase alfa)	Used to treat hypophosphatasia
Symtuza (darunavir/cobicistat/emtricitabine/tenofovir alafenamide)*	Used to treat HIV infection
Technivie (ombitasvir/paritaprevir/ritonavir)	Used for the treatment of Hepatitis C (genotype 4)
Vemlidy (tenofovir alafenamide)	Used to treat chronic hepatitis B infection
Viacoram (perindopril arginine/amlodipine)*	Used to treat essential hypertension
Victoza (liraglutide)	Used to treat Type 2 diabetes
Victoza (liraglutide) (second negotiation)	Used to treat type 2 diabetes mellitus

** A completed pan-Canadian negotiation refers to those for which a Letter of Intent (document which outlines the agreed upon terms and conditions for listing) has been signed between the lead jurisdiction for the negotiation and the manufacturer OR negotiations have been closed without a Letter of Intent.

† The initial nine products negotiated through the pCPA.

* New negotiations that have been completed since last update on April 30, 2019.