

## Pan-Canadian Pharmaceutical Alliance: Active Negotiations

As of January 31, 2020

There are 34 negotiations **currently underway** for the following drug products:

Drug Product Brand Name (Generic Name)	Indication/Use
<b>Admelog (insulin lispro)*</b>	Used to treat Type 1 and Type 2 diabetes
<b>Bosulif (bosutinib)</b>	Used to treat chronic myeloid leukemia
<b>Cimzia (certolizumab pegol)*</b>	Used to treat moderate to severe plaque psoriasis
<b>Darzalex (daratumumab)</b>	Used to treat newly diagnosed multiple myeloma
<b>Emerade (epinephrine bitartrate)</b>	Used for the emergency treatment of anaphylactic reactions
<b>Humira (citrate free) (adalimumab)</b>	Used for multiple indications
<b>Ibrance/Faslodex (palbociclib/fulvestrant)</b>	Used to treat advanced or metastatic breast cancer
<b>Januvia (sitagliptin)</b>	Used to treat Type 2 diabetes mellitus
<b>Kanuma (sebelipase alfa)</b>	Used to treat lysosomal acid lipase deficiency
<b>Keytruda (pembrolizumab)</b>	Used to treat classic Hodgkin lymphoma
<b>Keytruda (pembrolizumab)</b>	Used to treat melanoma adjuvant therapy
<b>Keytruda (pembrolizumab)</b>	Used to treat metastatic urothelial carcinoma
<b>Keytruda (pembrolizumab)</b>	Used to treat metastatic non-squamous non-small cell lung cancer
<b>Keytruda (pembrolizumab)*</b>	Used to treat metastatic squamous non-small cell lung cancer
<b>Kuvan (sapropterin dihydrochloride)</b>	Used to treat Phenylketonuria (PKU)
<b>Mezera (mesalazine)</b>	Used to treat ulcerative colitis
<b>Olumiant (baricitnib)</b>	Used to treat rheumatoid arthritis
<b>Onpattro (patisiran)</b>	Used to treat polyneuropathy in adult patients with hereditary transthyretin amyloidosis (hATTR)
<b>Opsumit (macitentan)</b>	Used to treat pulmonary arterial hypertension
<b>Orfadin Oral Suspension (nitisinone)</b>	Used to treat hereditary tyrosinemia type 1 (HT-1)
<b>Radicava (edaravone)</b>	Used to treat amyotrophic lateral sclerosis
<b>Revlimid (lenalidomide)</b>	Used to treat multiple myeloma
<b>Segluromet (ertugliflozin/metformin hydrochloride)</b>	Used to treat Type 2 diabetes mellitus
<b>Steglatro (ertugliflozin)</b>	Used to treat Type 2 diabetes mellitus
<b>Sublocade (buprenorphine)</b>	Used to treat opioid dependence
<b>Tegsedi (inotersen)</b>	Used for the treatment of stage 1 or stage 2 polyneuropathy in adult patients with hereditary transthyretin amyloidosis (hATTR)
<b>Triamcinolone Hexacetonide (triamcinolone hexacetonide)</b>	Used to treat subacute and chronic inflammatory joint diseases
<b>Truxima (rituximab)</b>	Used to treat rheumatoid arthritis, chronic lymphocytic leukemia, and non-Hodgkin's lymphoma
<b>Verzenio (abemaciclib)</b>	Used to treat advanced or metastatic breast cancer
<b>Vizimpro (dacomitinib)</b>	Used to treat locally advanced or metastatic non-small cell lung cancer with epidermal growth factor receptor (EGFR)-activating mutations
<b>Xalkori (crizotinib)</b>	Used to treat ROS1-positive advanced non-small cell lung cancer

<b>Xeljanz (tofacitinib)</b>	Used to treat ulcerative colitis
<b>Xtandi (enzalutamide)</b>	Used to treat high risk non-metastatic castrate resistant prostate cancer
<b>Xultophy (insulin degludec/liraglutide)*</b>	Used to treat Type 2 diabetes mellitus

\* New drug products since last update of December 31, 2019.